



ITEM	QTY -041	P/N	DESCRIPTION
	X	D5080-041	STRIKER PLATE ASSY
1	1	D5080-1	ANGLE BRACKET
2	1	D5080-3	STRIKER PLATE
3	2	MS20426AD4-4	RIVET, SOLID, CSK



D5080-041 STRIKER PLATE ASSY

TRANSFER MARK HOLES FROM D5080-3
TO D5080-1 AND DRILL Ø0.128" 4 PL





RELEASED
2014-04-23


- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY PER DART QSI 044 METHOD 6.1
 - 7) WEIGHT: 0.13 lbs

APPROVED

A	NEW ISSUE	ML	14.03.24
REV.	DESCRIPTION	BY	DATE
DESIGN	ML	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	ML		
CHECKED	AJS	DRAWING NO.	REV. A
MFG. APPR.	DD	D5080	SHEET 1 OF 3
APPROVED	MP	TITLE	SCALE
DE APPR.	DS	STRIKER PLATE ASSY	NTS
DATE	14.03.24	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D5080-1 ANGLE BRACKET
MAKE FROM D5080-1F





D5080-1F FLAT PATTERN

NOTES:


- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET, 18 GAUGE (0.048" THICK)
PER AMS 5513 (304) OR 5524 (316) OR ASTM A240 OR ASME SA240
REF. DART SPEC M304S18GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.07 lbs

APPROVED

DESIGN	ML	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	ML		
CHECKED	AJS	DRAWING NO.	REV. A
MFG. APPR.	DD	D5080	SHEET 2 OF 3
APPROVED	MP	TITLE	SCALE
DE APPR.	DS	STRIKER PLATE ASSY	NTS
DATE	14.03.24	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D5080-3 STRIKER PLATE
MAKE FROM D5080-3F



D5080-3F FLAT PATTERN

RELEASED
2014-04-23

- NOTES:**
- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET, 18 GAUGE (0.048" THICK)
PER AMS 5513 (304) OR 5524 (316) OR ASTM A240 OR ASME SA240
REF. DART SPEC M304S18GA
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 0.06 lbs

APPROVED

DESIGN	ML	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	ML		
CHECKED	AJS	DRAWING NO.	REV. A
MFG. APPR.	DD	D5080	SHEET 3 OF 3
APPROVED	MP	TITLE	SCALE
DE APPR.	DS	STRIKER PLATE ASSY	NTS
DATE	14.03.24	<small>COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	